## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	157	(341/21,22.ccls. 345/173. ccls. 381/181,188.ccls 379/368.ccls.) and (order \$5 re\$1order\$3) near4 (candidat\$3 word suggest \$5 data\$1base)	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:32
L11	2	(341/21,22.cds. 345/173. ccls. 381/181,188.ccls 379/368.ccls.) and (re \$1order\$3) near4 (candidat \$3 word suggest\$5 data \$1base)	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:32
L10	0	(341/21,22.cds. 345/173. ccls. 381/181,188.ccls 379/368.ccls.) and (re \$1order\$3) near4 (candidat \$3 word suggest\$5 data \$1base) near3 list\$3	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:31
L8	7354	(341/21,22.cds. 345/173. ccls. 381/181,188.cds 379/368.cdls.)	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:30
L7	31	("341".clas. "379".clas. "345".clas. "382".clas.) and (data\$1bas\$3 word\$3 keyword\$3) near3 order\$3 same re\$order\$3 near2 (word\$3 list\$3)	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:29
L6	0	("341".clas. "379".clas. "345".clas. "382".clas.) and (data\$1bas\$3 word\$3 keyword\$3) near3 order\$3 and re\$order\$3 and predefin\$3 near1 linguist \$5	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:28
L5	21	(("20050060138") or ("20060247915") or ("20030023426") or ("20030054830") or ("20030144830") or ("20050114770") or ("20060193519") or ("20060236239") or ("20060239560") or ("20040153963") or ("20040153975") or ("20060129928") or ("20060136408") or	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:14

	("20060155536") or ("20060158436") or ("20060173807") or ("20070094718") or ("20070203879") or ("20070276814") or ("20070285397") or ("20080130996")).PN.	титититититититититититититититититити			
Δ	(("5,561,446") or ("5,574,482") or ("5,956,021") or ("6,542,170") or ("6,819,315") or ("7,107,204") or ("7,149,550") or ("7,155,683") or ("7,224,989") or ("7,385,531") or ("6,009,444") or ("6,054,941") or ("6,164,317") or ("6,169,538") or ("6,172,625") or ("6,362,752") or ("6,686,852") or ("6,807,529") or ("6,807,529") or ("6,942,741") or ("6,947,771") or ("6,947,771") or ("6,947,771") or ("6,947,771") or ("6,947,771") or ("7,075,520") or ("7,075,520") or ("7,075,520") or ("7,075,520") or ("7,389,235") or ("7,389,235") or ("7,389,235") or ("7,349,576") or ("7,256,769") or ("7,256,769") or ("7,256,769") or ("7,256,769") or ("7,139,430") or ("7,139,430") or ("7,139,430") or ("7,139,430") or ("7,313,277")).PN.	US- PGPUB; USPAT	OR	PFF	2009/06/15

L2	89	(704/9,10.ccls. 707/1-6. ccls. 715/256,259,261.ccls. "341".clas. "379".clas.) and bradford.in.	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:09
L1	0	(704/9,10.ccls. 707/1-6. ccls. 715/256,259,261.ccls. "341".clas. "379".clas.) and ((data\$1bas\$3 word \$3 keyword\$3) near3 order \$3 and re\$order\$3 and predefin\$3 near1 linguist \$5).clm.	US- PGPUB; USPAT	OR	OFF	2009/06/15 13:08
S75	28	(704/9,10.ccls. 707/1-6. ccls. 715/256,259,261. ccls.) and (data\$1bas\$3 word\$3 keyword\$3) near3 order\$3 same re\$order\$3 near2 (data\$1bas\$3 word \$3 keyword\$3)	US- PGPUB; USPAT	OR	OFF	2009/06/14 13:47
S74	86	(704/9,10.ccls. 707/1-6. ccls. 715/256,259,261. ccls.) and (data\$1bas\$3 word\$3 keyword\$3) near3 order\$3 same re\$order\$3	US- PGPUB; USPAT	OR	OFF	2009/06/14 13:47
S73	595	(704/9,10.ccls. 707/1-6. ccls. 715/256,259,261. ccls.) and (data\$1bas\$3 word\$3 keyword\$3) near3 order\$3 and re\$order\$3	US- PGPUB; USPAT	OR	OFF	2009/06/14 13:47
S72	5396	(704/9,10.ccls. 707/1-6. ccls. 715/256,259,261. ccls.) and (data\$1bas\$3 word\$3 keyword\$3) near3 order\$3	US- PGPUB; USPAT	OR	OFF	2009/06/14 13:46
S71	92	(704/1,9,10.ccls. 715/261 711/136.ccls.) and reduce \$3 near4 key\$7	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:48
S70	62	(704/1,9,10.ccls. 715/261 711/136.ccls.) and reduce \$3 adj2 key\$7	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:48
S69	3107	(704/1,9,10.ccls. 715/261 711/136.ccls.) auto \$complet\$7 and custom\$7 near8 vocab\$7	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:47
S68	237	(704/1,9,10.ccls. 715/261 711/136.ccls.) and (re \$order\$3 order\$3) near4 (databas\$3 knowledg\$5)	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:47
S67	43	(S63 S64 S65 S66) and frequenc\$5	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:44

<b>S</b> 66	5	(("20060062461") or ("20020122072") or ("20020145587") or ("20020135561") or ("20030048257")).PN.	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:39
S65	8	(("20010048425") or ("20030144830") or ("20020168107") or ("20020163544") or ("20020093491") or ("20030184451") or ("20030006956") or ("20040243389")).PN.	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:38
S64	38	(("5,928,588") or ("5,933,526") or ("5,953,541") or ("5,963,671") or ("5,973,676") or ("6,002,799") or ("6,011,554") or ("6,041,137") or ("6,044,165") or ("6,075,469") or ("6,104,384") or ("6,130,962") or ("6,144,764") or ("6,148,104") or ("6,157,379") or ("6,172,625") or ("6,275,611") or ("6,275,611") or ("6,437,709") or ("6,437,709") or ("6,448,987") or ("6,489,951") or ("6,493,464") or ("6,567,072") or ("6,567,072") or ("6,567,072") or ("6,666,703") or ("6,686,907") or ("6,765,554") or ("6,956,968") or ("6,990,534") or ("7,088,861") or ("7,088,861") or ("7,088,861") or	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:36

<b>S</b> 63	40	(("3,980,869") or ("4,286,329") or ("4365235") or ("4,439,649") or ("4,454,592") or ("4,561,105") or ("4,573,196") or	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:33
		("4,689,768") or ("4,725,694") or ("4,782,464") or ("4,783,758") or ("4,783,761") or ("4,891,777") or ("4,891,786") or ("5,127,055") or ("5,187,480") or ("5,224,179") or			manamanamanamanamanamanamanamanamanaman	
		("5,317,507") or ("5,457,454") or ("5,462,711") or ("5,533,147") or ("5,583,946") or ("5,586,198") or ("5,612,690") or ("5,649,223") or ("5,664,896") or		miniminiminiminiminiminiminiminiminimin	<i>тининий в в в в в в в в в в в в в в в в в в в</i>	
		("5,734,750") or ("5,745,719") or ("5,748,512") or ("5,754,686") or ("5,784,008") or ("5,796,867") or ("5,798,760") or ("5,812,696") or ("5,812,697") or ("5,818,437") or ("5,870,492") or			mmanammanammanammanammanammanammanamma	
		("5,917,476") or ("5,923,793") or ("5,926,566")) PN.		mmmmmm	***************************************	
S62	40	(("3,980,869") or ("4,286,329") or ("4365235") or ("4,439,649") or ("4,454,592") or ("4,561,105") or ("4,573,196") or ("4,689,768") or ("4,725,694") or ("4,782,464") or ("4,783,758") or ("4,783,761") or ("4,891,777") or	US- PGPUB; USPAT	OR	OFF	2008/12/28 13:31
		("4,891,786") or ("5,127,055") or			· · · · · · · · · · · · · · · · · · ·	

		("5,187,480") or ("5,224,179") or ("5,317,507") or ("5,457,454") or ("5,533,147") or ("5,583,946") or ("5,586,198") or ("5,612,690") or ("5,649,223") or ("5,644,896") or ("5,745,719") or ("5,745,719") or ("5,748,512") or ("5,784,008") or ("5,796,867") or ("5,798,760") or ("5,812,696") or ("5,812,697") or ("5,812,697") or ("5,812,697") or ("5,812,697") or ("5,813,437") or ("5,917,476") or ("5,923,793") or ("5,926,566")).PN.				
S61	4	711/136.ccls. and database same frequently near1 used	US- PGPUB; USPAT	OR	OFF	2008/05/29 16:25
S60	1	(age aging) adj3 (frequenc \$6) adj3 (count\$2)	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:50
S59	37	(age aging) adj3 (frequenc \$6) near2 (weight\$5 count \$2)	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:49
S58	15	memory adj3 (least near1 frequent\$5 near1 used lfu) not S56	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:30
S57	27	memory adj3 (least near1 frequent\$5 near1 used lfu)	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:30
S56	12	memory adj1 (least near1 frequent\$5 near1 used lfu)	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:28
S55	120	memory with (least near1 frequent\$5 near1 used Ifu)	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:28
S54	18	database\$3 with (least near1 frequent\$5 near1 used Ifu)	US- PGPUB; USPAT	OR	OFF	2008/05/29 15:17

S53	8	(monitor\$3 check\$5 period \$5) near4 database\$3 near5 (memor\$3 free near1 spac\$5) with (discard\$3 delet\$3 remov \$5 omit\$5)	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:56
S52	0	(monitor\$3 check\$5 period \$5) near4 database\$3 near5 (memor\$3 free near1 spac\$5) with (discard\$3 delet\$3 remov \$5 omit\$5) with threshold \$5	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:56
S51	1		US- PGPUB; USPAT	OR	OFF	2008/05/28 18:53
S50	0	(monitor\$3 check\$5 period \$5) near3 free\$spac\$5 same frequen\$7 near3 us \$3 with threshold\$2 with (discard\$3 delet\$3 remov \$5 omit\$5)	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:52
S49	0	(monitor\$3 check\$5 period \$5) near3 free\$spac\$5 same frequen\$7 near3 us \$3 with threshold\$2 near3 (discard\$3 delet\$3 remov \$5 omit\$5)	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:51
S48	0	databas\$3 near3 free\$spac \$5 same frequen\$7 near3 us\$3 with threshold\$2 near3 (discard\$3 delet\$3 remov\$5 omit\$5)	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:50
S47	4	(704/1,9,10.ccls. "707". clas. "715".clas.) and frequen\$7 near3 us\$3 with threshold\$2 near3 (discard \$3 delet\$3 remov\$5 omit \$5)	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:48
S46	0	(704/1,9,10.ccls. "707". clas. "715"/.clas.) and word \$5 near3 frequen\$7 near3 us\$3 with threshold\$2 near3 (discard\$3 delet\$3 remov\$5 omit\$5)	US- PGPUB; USPAT	OR	OFF	2008/05/28 18:46

S45	8	(704/1,9,10.ccls. "707". clas. "715"/.clas.) and word \$5 near3 frequen\$7 near3 us\$3 same (identical\$5 "same" match\$3) near1 frequen\$7	US- PGPUB; USPAT	OR	OFF	2008/05/28 17:55
S44	30	704/1,9,10.ccls. and (auto \$complet\$8 abbreviat\$5 near3 input\$7)	US- PGPUB; USPAT	OR	OFF	2007/09/24 17:38
S43	3355	704/1,9,10.ccls. (auto \$complet\$8 abbreviat\$5 near3 input\$7)	US- PGPUB; USPAT	OR	OFF	2007/09/24 17:38
S42	3	dynamic\$5 with frequenc \$5 and 715/534.ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 17:36
S41	1	dynamic\$5 with (usage user us\$4 order\$5) with frequenc\$5 and 715/534. ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:46
S40	216323	dynamic\$5 with (usage user us\$4 order\$5) frequenc\$5 and 715/534. ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:45
<b>S</b> 39	9	order\$5 near3 frequenc\$5 and 715/534.ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:43
S38	0	re\$ord\$7 near3 frequenc \$5 and 715/534.ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:34
S37	10	user\$3 near3 frequenc\$5 and 715/534.ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:34
S36	4	user\$3 near3 frequenc\$5 near3 (dictionar\$5 word\$3 databas\$5) and 715/534. ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:25
S35	3	(frequen\$5 linguist\$5 word \$5 pre\$determin\$5) near3 (model\$3 diction\$5 databas \$5) and user\$3 near3 frequenc\$5 near3 (dictionar \$5 word\$3 databas\$5) and 715/534.ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:23
S34	1	, .	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:22

S33	20	,,,	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:21
\$32	2	(frequen\$5 linguist\$5 word \$5 pre\$determin\$5) near1 databas\$5 and user\$3 near1 databas\$5 and 715/534.ccls.	US- PGPUB; USPAT	OR	OFF	2007/09/24 15:15
S31	8	715/534.ccls. and list near4 updat\$7	US- PGPUB; USPAT	OR	OFF	2007/04/23 12:12
S30	12	715/534.ccls. and re\$order \$5	US- PGPUB; USPAT	OR	OFF	2007/04/23 12:12
S29	20	715/534.ccls. and dictionar \$7 with order\$5	US- PGPUB; USPAT	OR	OFF	2007/04/23 12:10
S28	13	"704".clas. and sport\$7 near3 dictionar\$7	US- PGPUB; USPAT	OR	OFF	2007/04/23 12:07
<b>S</b> 27	1	715/534.ccls. and frequen \$7 with (order\$5) with (recent\$5)	US- PGPUB; USPAT	OR	OFF	2007/04/18 12:31
S26	4	index near1 manag\$7 near1 (unit method) and frequenc\$5 same updat\$7	US- PGPUB; USPAT	OR	OFF	2007/04/17 17:51
S25	0	index near1 manag\$7 near1 (unit method) and frequenc\$5 same aging	US- PGPUB; USPAT	OR	OFF	2007/04/17 17:51
S24	61	index near1 manag\$7 near1 (unit method)	US- PGPUB; USPAT	OR	OFF	2007/04/17 17:50
S23	37	index near1 manag\$7 and aging and frequenc\$7	US- PGPUB; USPAT	OR	OFF	2007/04/17 17:48
S22	19	(704/1,9,10.ccls. "707". clas. "715".clas.) and (updat\$5) with frequen\$7 near3 (factor\$5 weight\$7 scale normali\$7 decay\$7 list\$5) with (recent\$7 time period\$5 interval\$5)	US- PGPUB; USPAT	OR	OFF	2007/04/17 17:47

S21	19	(704/1,9,10.ccls. "707". clas. "715"/.clas.) and (updat\$5) with frequen\$7 near3 (factor\$5 weight\$7 scale normali\$7 decay\$7 list\$5) with (recent\$7 time period\$5 interval\$5)	US- PGPUB; USPAT	OR	OFF	2007/04/17 17:40
\$20	15	(704/9,10.ccls. "707".clas. 715/534.ccls.) and frequen \$7 near3 (factor\$5 weight \$7 scale normali\$7 decay \$7) and reduc\$7 near4 (key keys keyboard\$4) not \$19	US- PGPUB; USPAT	MOR	WOFF	2007/04/17 17:38
S19	17	(704/9,10.ccls. "707".clas. 715/534.ccls.) and frequen \$7 near3 (factor\$5 weight \$7 scale) and auto\$complet \$7	US- PGPUB; USPAT	OR	OFF	2007/04/17 16:55
S18	43785	(704/9,10.ccls. "707".clas. 715/534.ccls.)	US- PGPUB; USPAT	OR	OFF	2007/04/17 16:48
S17	46	715/534.ccls. and updat\$7	US- PGPUB; USPAT	OR	OFF	2007/04/17 16:47
S16	1297056	715/534.ccls. and updat\$7 x	US- PGPUB; USPAT	OR	OFF	2007/04/17 15:33
S15	3	715/534.ccls. and updat\$7 near5 (frequen\$7)	US- PGPUB; USPAT	OR	OFF	2007/04/17 15:32
S14	5	715/534.ccls. and (frequen \$7) with (factor\$7)	US- PGPUB; USPAT	OR	OFF	2007/04/17 15:27
S13	1	715/534.ccls. and (frequen \$7) near2 (factor\$7)	US- PGPUB; USPAT	OR	OFF	2007/04/17 15:26
S12	9	715/534.ccls. and (age aging)	US- PGPUB; USPAT	OR	OFF	2007/04/17 15:25
S11	14	("704".clas. "707".clas. "715".clas.) and custom near4 vocabular\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:56
S10	12	("704".clas. "707".clas. "715".clas.) and reduce\$3 adj2 key\$7 with frequen\$8	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:56
S9	362	("704".clas. "707".clas. "715".clas.) and reduce\$3 adj2 key\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:52

S8	629	("704".clas. "707".clas. "715".clas.) and reduce\$3 near2 key\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:51
S7	1023	("704".clas. "707".clas. "715".clas.) and reduce\$3 near4 key\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:51
S6	11454	reduce\$3 near4 key\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:50
S5	34	custom\$7 near5 vocabul\$7 and download\$5 near3 (custom\$5 diction\$7)	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:50
S4	2	auto\$complet\$7 and custom\$7 near8 vocab\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 13:47
S3	6	704/9.ccls. and custom\$7 near8 vocab\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 11:26
82	1	704/9.ccls. and custom\$7 near4 vocab\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 11:24
S1	0	704/9.ccls. and custom near4 vocab\$7	US- PGPUB; USPAT	OR	OFF	2007/04/16 11:23

## 6/15/09 1:32:49 PM

C:\ Documents and Settings\ Lspooner\ My Documents\ EAST\ Workspaces\ Brad864.wsp